

# FRINGE BLEACH Neutraliser

Part No. RXSOL-41-8462-025 — Generated 10 Oct 2026

## 1. Product and Company Identification

Product Name FRINGE BLEACH

Product Type **RXSOL-41-8462-025**

### Company Details:

RX MARINE INTERNATIONAL  
105, A wing , BSEL , TECH PARK.  
VASHI ,NEW BOMBAY 400703 INDIA

Phone +91 22 65113333/ 5555 / 9999 / 27611360 / 27815540

Fax +91 22 2781 1318 ::::AOH :0091 9322594669

Email [mail@rxmarine.com](mailto:mail@rxmarine.com)

## 2. Composition / information on ingredients

### 2.1 Hazardous Ingredients

2.1.1 2.1.2 2.1.3 2.1.4

CAS # EINECS No Name Concentration Warning/Risk phrases

10058-23-8 233-187-4 Potassium peroxy- 40-60% R20/21/22, R34.37  
monosulfate

7778\*80-5 231-915-5 Potassium sulfate 15-30% R20/21/22,

7646-93-7 231-594-1 Potassium bisulfate 15-30% R20/21/22, R34/37

7727-21-1 231-781-8 Potassium peroxy- 1-5% R20/21/22, R34/37  
disulfate

546-93-0 208-915-9 Magnesium carbonate 1-5% R20/21/22

2.1.5 No confidential ingredients

2.1.6 Components are not listed as dangerous less than 1 percent each.

2.1.7 Other information: None

## 3. Hazards Identification

**Human:** This product may cause burns to skin and severe irritation to eyes and respiratory system. If swallowed the product may be harmful and cause irritation to mucous membranes. Avoid contact with strong oxidising agents.

**Environment:** This product is unlikely to accumulate in aquatic environment.

## 4. First Aid Measures

**Eye Contact:** Flush with water for at least 15 minutes. Seek medical attention.

**Skin Contact:** Wash with soap and water. If irritation persists, seek medical attention.

**Inhalation:** Remove to fresh air. If trouble with breathing persists, seek medical attention.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Dilute with one to two glasses of water. Seek medical attention.

## 5. Fire-fighting Measures

The product is non-combustible; use suitable extinguishing media for the surrounding fire.

Self-contained breathing apparatus (SCBA) with full protective bunker gear for fire fighters.

This product is unlikely to support combustion as it is not combustible and not an oxidiser.

Exposure hazards: decomposition of product may be oxides of carbon and sulphur.

## 6. Accidental Release Measures

Sweep up the material and place in plastic pail or drum for re-use or disposal. Check local authority for proper disposal methods.

Do not mix this product with other waste materials.

## 7. Handling and Storage

Handle with best business practices. Keep this product stored away from food, drink and animal feeding stuffs. Keep out of the reach of children. Store in a cool and dry area.

## 8. Exposure controls and personal protection

**Exposure limit values:**

**HTP values:** None

**Other limit values:** (USA) OSHA PEL: Magnesium carbonate (15mg/m<sup>3</sup>); Nuisance dust (15 mg/m<sup>3</sup>)

**Limit values in other countries:** (AICS), (ECC), (EEC), (ENC), (EU), (Israel), (PICCS), (Swiss), (Taiwan), (UK):

**Magnesium carbonate (10mg/m<sup>3</sup>), (AICS) Nuisance dust (10 mg/m<sup>3</sup>)**

**Exposure controls:** Avoid contact with eyes, skin or clothing. Avoid ingesting the product as it may be harmful. Wear a dust mask to avoid long term effect of breathing the material. Wear chemical impermeous gloves to protect exposure to your hands. Wear chemical safety goggles or glasses to protect your eyes.

## 9. Physical and chemical properties

The product is a dry white powder with a floral odour. Important health, safety and environmental information RTU pH 6.0

|                            |    |
|----------------------------|----|
| Boiling poin /boilingrange | NA |
| Freezing point             | NA |
| Flash point                | NA |

|                           |                    |
|---------------------------|--------------------|
| Flammability (solid, gas) | NA                 |
| Explosive properties      | Not explosive      |
| Oxidising properties      | Not an oxidiser    |
| Vapour pressure           | Very low           |
| Relative density          | Greater than water |
| Solubility                | 100% in water      |
| Specific gravity          | 1.25               |
| RVOC%                     | 0.00               |
| Other                     | NA                 |

## 10. Stability and reactivity

The product is stable and will not polymerise. Avoid strong oxidising agents.

In a fire situation, the products may be oxides of carbon and sulphur.

## 11. Toxicological information

Sub-acute, sub-chronic and prolonged toxicity have not been determined.

## 12. Ecological information

**Biodegradability:** NA

**Mobility:** Soluble in water.

**Bio-accumulation:** This product is unlikely to accumulate in waterways and will not accumulate in the environment. The impact on other organisms has not been determined.

## 13. Disposal considerations

Dispose in accord with National regulations.

Do not mix waste material with other waste materials.

## 14. Transport information

Identification UN3260

Proper Shipping Name Corrosive Solid, Acidic, Inorganic,

N.O.S. (Monopersulfate Compound)

Hazard Class 8

## 15. Regulatory information

ILO: C (Corrosive)

WHMIS: Corrosive

Risk Phrases: R20/21/22 – Harmful by inhalation, in  
contact with skin and if swallowed

R34 – Causes burns

R37 – Irritating to respiratory system

Safety Phrases: S2 – Keep out of the reach of children

S13 – Keep away from food, drink and  
animal feeding stuffs

S22 – Do not breathe dust

S24/25 – Avoid contact with eyes and skin

S26 - In case of contact with eyes, rinse  
immediately with plenty of water and seek  
medical advice

S37/39 – Wear suitable gloves and eye/face  
protection

S38 - In case of insufficient ventilation, wear  
suitable respiratory equipment.

S62 – If swallowed do not induce vomiting:  
seek medical advice immediately and show  
this container or label

Special regulations on certain preparations:

HMIS NFPA

2 Health 2

0 Fire 0

0 Reactivity/Instability 0

E PPE

## 16. Other information

### Restrictions on use:

Ready to use after label dilution.

This product intended for professional use only.

### Further information:

Call CHEM-TEL, INC. collect 1- 813-248-0582

Sources of key data used: EU, EEC Directives on the Control of Dangerous Substances and Preparations (67/548/EEC), Council Directive 88/379/EEC, WHMIS, NIOSH and OSHA 29 CFR Part 1910.1200.

This product contains no Prop 65 materials.

This is a new Safety Data Sheet.

Product listed as harmful by USA, DSL, EINECS, AICS, ECL, EICS, ENCS, PICCS: Magnesium carbonate.

This information is furnished without warranty expressed or implied except that it is accurate to the best knowledge of Master Blend, Inc. The data and information on the Safety Data Sheet relates only to the specific material designated herein. Master Blend, Inc. assumes no legal responsibility for use or reliance upon the data.

**DISCLAIMER OF LIABILITY :**The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.