

Hexane

Part No. RXSOL-19-1566-050 — Generated 10 Oct 2026

1. Product and Company Identification

Product Name	Hexane
Part Number	RXSOL-19-1566-050

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 ::::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmarine.com

2. Composition / information on ingredients

Chemical Name	Cas No	EC No	Weight	Formula
n-Hexane hypergrade for organic trace analysis SupraSolv®	110-54-3	203-777-6	86,18 g/mol	C ₆ H ₁₄
Signal Word	Danger			
Hazard Statements	H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H361f Suspected of damaging fertility. H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure if inhaled. H411 Toxic to aquatic life with long lasting effects.			
Precautionary statements	P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P301 + P310 IF SWALLOWED Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 IF ON SKIN (or hair) Take off immediately all contaminated clothing. Rinse skin with water. P331 Do NOT induce vomiting.			
Classification of the substance or mixture	No data available			
Supplemental Hazard Statements	No data available			
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher			

4. First Aid Measures

General advice	Show this material safety data sheet to the doctor in attendance
If inhaled	After inhalation fresh air. Immediately call in physician.
Eye Contact	Rinse out with plenty of water. Remove contact lenses

Swallowed		Make victim drink water (two glasses at most). Consult doctor if feeling unwell.
Skin Contact		In case of skin contact Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Inhalation		No data available
Ingestion		No data available
Most important symptoms and effects, acute and delaye	both	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical and special treatment needed	attention	No data available

5. Fire-fighting Measures

Flammability	No data available
Suitable extinguishing media	Carbon dioxide (CO2) Foam Dry powder
Unsuitable extinguishing media	No data available
Special hazards arising from the substance or mixture	Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.
Further information	Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Hazardous combustion products	No data available
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing
Protective Equipment	No data available
Specific Hazards Arising from the Chemical	No data available

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Spillage	No data available
Personal Protection	Avoid dust formation. Avoid breathing vapors, mist or gas. For personal protection see section 8
Enviromental Precaution	Do not let product enter drains. Risk of explosion.
Methods and materials for containment and cleaning	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area
Reference to other sections	For disposal see section 13

7. Handling and Storage

Advice on protection against explosion	fire and	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Incompatible materials		No data available
Hygiene measures		Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Advice on safe handling		Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Conditions for safe storage, including any incompatibilities		No data available
Storage conditions		Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Recommended storage temperature see product label
Storage class		Storage class (TRGS 510 3 Flammable liquids
Specific end use(s)		Apart from the uses mentioned in section 1.2 no other specific uses are stipulated
Advice on general occupational hygiene		No data available

8. Exposure controls and personal protection

Exposure controls	Personal protective equipment
Engineering Control	No data available
Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Body Protection	Flame retardant antistatic protective clothing.
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Viton® Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M) This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 30 min Material tested: Butoject® (KCL 898)
Respiratory protection	
Other Protection Measure	No data available

9. Physical and chemical properties

Physical state	Liquid
Colour	Colorless
Odour	Hydrocarbon-like
Odor Threshold	No data available
pH	7,0
Melting Point	-95,35 °C at 1.013 hPa

Boiling Point	69 °C at 1.013 hPa
Flash Point	-22 °C - c.c
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available
Upper/lower flammability or explosive limits	Upper explosion limit 8,1 %(V) Lower explosion limit 1,0 %(V)
Autoignition temperature	225 °C at 1.013 hPa
Decomposition temperature	No data available
Vapour pressure	175,98 hPa at 20,0 °C
Viscosity	Dynamic 0,3 mPa.s at 25 °C
Density	0,66 g/cm ³ at 25 °C
Relative Density	4,77 at 23,6 °C - Regulation (EC) No. 440/2008, Annex, A.3
Specific Gravity	No data available
Partition coefficient	Log Pow ca.4 at 20 °C - (Lit.), Potential bioaccumulation
Explosive properties	No data available
Solubility	0,01 g/l at 25 °C - slightly soluble
Ignition temperature	No data available
Particle characteristics	No data available

10. Stability and reactivity

Reactivity	Vapors may form explosive mixture with air
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)
Possibility of hazardous reactions	Risk of explosion with Violent reactions possible with: Strong oxidizing agents nitrogen oxides halogens rubber various plastics Risk of ignition or formation of inflammable gases or vapours with: Peroxides (sodium salt)
Conditions to avoid	Warming.
Incompatible materials	
Hazardous product decomposition	No data available

11. Toxicological information

Acute toxicity	LD50 Oral - Rat - male and female - 16.000 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - 172 mg/l - vapor (RTECS) LD50 Dermal - Rabbit - male - > 2.000 mg/kg (OECD Test Guideline 402)
Skin corrosion/irritation	Skin - Rabbit Result Skin irritation - 24 h (OECD Test Guideline 404) (Regulation (EC) No 1272/2008, Annex VI)
Serious eye damage/irritation	Eyes - Rabbit Result No eye irritation - 72 h (OECD Test Guideline 405)
Respiratory or skin sensitization	Local lymph node assay (LLNA) - Mouse Result negative (OECD Test Guideline 429)
Carcinogenicity	Suspected of causing cancer

Germ cell mutagenicity	Test Type Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system Mouse lymphoma test Metabolic activation: with and without metabolic activation Method OECD Test Guideline 476 Result: negative Test Type: dominant lethal test Species Mouse Millipore- 1.04369 Page 9 of 13 The life science business of Merck operates as MilliporeSigma in the US and Canada Application Route: inhalation (vapor) Method OECD Test Guideline 478 Result: negative Test Type: Chromosome aberration test Species Rat Cell type Bone marrow Application Route: Gavage Method OECD Test Guideline 475 Result negative
Reproductive toxicity	Suspected of damaging fertility.
Specific target organ toxicity-single exposure	
Additional Information	Assessment The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Repeated dose toxicity - Rat - male and female - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 40 mg/kg - LOAEL (Lowest observed adverse effect level) - 200 mg/kg Drowsiness, irritant effects, somnolence narcosis, Nausea, Tiredness, CNS disorders, paralysis symptoms Risk of corneal clouding. It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. Ecological information

Persistence and degradability	Biodegradability aerobic - Exposure time 28 d Result 98 % - Readily biodegradable. (OECD Test Guideline 301F) Remarks: (in analogy to similar products)
Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 2,5 mg/l - 96 h (ECOTOX Database)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 2,1 mg/l - 48 h (Lit.)
Toxicity	No data available
Toxicity to bacteria	No data available
Toxicity to algae	EC50 - algae - 0,024 - 0,029 mg/l - 28 h (Lit.)
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies. Discharge into the environment must be avoided. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. Disposal considerations

Product	No data available
Contaminated packaging	No data available
Waste treatment Method	No data available

14. Transport information

UN number	ADR/RID:1208	IMDG:1208	IATA:1208
UN proper shipping name	ADR/RID:HEXANES	IMDG:HEXANES	IATA:HEXANES
Transport hazard classess	ADR/RID:3	IMDG:3	IATA:3
Packaging group	ADR/RID:II	IMDG:II	IATA:II
Environmental hazards	ADR/RID:Yes	IMDG Marine pollutant: Yes IATA: No	
Special precautions for user	Tunnel restriction code (D/E)		
Further information	No data available		

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

16. Other information

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages.
	DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.