

RIG WASH TUFF HeavyDuty

Part No. RXSOL-60-1042-025 — Generated 10 Oct 2026

1. Product and Company Identification

Product Name **RXSOL-60-1042-025**
Product Type **RIG WASH tuff Heavy Duty**

Company Details:

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Phone : +91 22 65113333 / 5555 / 9999 / 27611360
Fax : +91 22 2781 1318 ::::AOH :0091 9821214367
Email : mail@rxmarine.com

2. Composition / informationon ingredients

IONIC – SURFACTANT , FATTY ALCOHOL, SULPHONATED-LA,
Isopropanol 67-63-0 1 - 5% 200-661-7 F; R11 Xi; R36 R67

3. Hazards Identification

Ingestion	Harmful, if ingested.
Inhalation	Inhalation does not produce any side effect .
Skin Contact	Non Irritation
Eye Contact	Cause Irritation
Environmental Hazards	None
Human Health Hazards	Moderates

4. First Aid Measures

Ingestion	Induce vomiting & seek medical attention
Inhalation	Remove to fresh air
Eye Contact	Flush with water for at least 15 minutes.

5. Fire-fighting Measures

Extinguishing Media F - Highly Flammable

Suitable Use extinguishing media like foam dry Co2 , water-spray.

Not suitable Not applicable

Special Not applicable

Protection of fire Fighter Not applicable

Component Classification F - Highly Flammable.

Xi - Irritant.

R11 Highly flammable.

R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

6. Accidental Release Measures

- Bio-Degradable

Prevent from entering sewers, waterways, or low areas.

CLEANING PROCEDURE ::: Isolate spill and stop leak where safe. Contain spill with sand or other inert materials. Scoop up and remove.

7. Handling and Storage

Handling None , Avoid contact with eye

Storage General Storage , 5 years

Methods of cleaning Flush Spill Area with Water

NOTE Keep Container Tightly Closed
Avoid breathing vapors.
Storage Information Store away from oxidizers. Keep container closed when not in use.

8. Exposure controls and personal protection

Respiratory System Protection	Engineering Controls Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation. Respiratory Protection Organic vapor respirator.
Eye Protection	Eye Protection Chemical goggles; also wear a face shield if splashing hazard exists. Other Precautions Eyewash fountains and safety showers must be easily accessible.
Hand Protection	Impervious rubber gloves.
Skin Protection	Rubber apron.

9. Physical and chemical properties

Properties:-

Appearance	Clear liquid
Density	In g/cm ³ at 20°C: 1.21
Compatibility	
Metal	No known effect
Rubber	No known effect
pH	Alkaline (9.5-10)
Flash point	Not Applicable
Solubility	100% soluble in water
Packaging	Size (in 210 Litres)

10. Stability and reactivity

Condition to Avoid	Heat, Flame & Other Sources of Ignition
--------------------	---

Materials to Avoid Do not subject to Acidic/Highly Alkaline/Oxidizing Agents.

Hazardous Decomposition Products Do not occur (Bio-Degradable)

11. Toxicological information

Skin Irritation	No.
Eye Irritation	Moderate
Sensitization	Not Sensitizing
Chronic Toxicity	Not Identified
Carcinogenicity	No.

Inhalation May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Skin Contact May cause skin irritation.

Eye Contact May cause eye irritation.

Ingestion May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation and central nervous system depression.

Aggravated Medical Conditions Skin disorders. Chronic Effects/Carcinogenicity No data available to indicate product or components

present at greater than 1% are chronic health hazards.

Other Information None known.

Toxicity Tests

Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Developmental Toxicity: Not determined

12. Ecological information

1) Comment Not applicable

2) Ecotoxicity Not applicable

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: Not determined

Acute Crustaceans Toxicity: Not determined

Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

13. Disposal considerations

Disposal methods Small amounts may be flushed with water to sewer. Larger volumes must be sent to approved plant for destruction. Dilute with water, neutralise with HCl, discharge to sewer with plenty of water. Confirm disposal procedures with environmental engineer and local regulations. **Waste class** Hazardous waste in accordance with EU directives. 06 02.

14. Transport information

ROAD TRANSPORT (ADR)

ADR class	Not dangerous according to ADR / Not restricted
------------------	---

RAIL TRANSPORT (RID)

RID class no.	N/A
----------------------	-----

SEA TRANSPORT (IMDG)

IMDG class	N/A
-------------------	-----

AIR TRANSPORT (IATA/ICAO)

IATA/ICAO class	N/A / ICAO/IATA Not restricted
------------------------	-----------------------------------

Other Transportation Information

Labels: None

15. Regulatory information

EC Supply labeling Requirements This product is not subject to the labeling requirements of EC Directives 67/548/EEC and 88/379/EEC as amended.

Classification Not Classified

Risk Phrases None

Safety Phrases None

EINECS Inventory This product, and all its components, complies with EINECS

Germany, Water Endangering

Classes (WGK)

WGK 1: Low hazard to waters.

Risk phrases	R-41 Risk of serious damage to eye. R-38 Irritating to skin.
---------------------	--

Safety phrases	S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S-36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S-2 Keep out of reach of children.
-----------------------	---

16. Other information

Explanations of R-phrases in Section 2 R-22 Harmful if swallowed. R-34 Causes burns. R-35 Causes severe burns. R-37 Irritating to respiratory system. R-41 Risk of serious damage to eye.

* Information revised since previous SDS version

User notes: The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the seller's knowledge or has been generated to be the best of our ability without extensive research beyond our understanding or economic feasibility. Seller makes no warranty whatsoever, expressed, implied or of merchantability of the

product, or of result obtained from this report. If data do not meet your needs, consult your supplier before using this product. Seller assumes no responsibility for injury to buyer or third party or for any damage to any property. Buyer assumes all such risks.

DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

This document was generated automatically and may not reflect the latest formulation or regulatory revision. For the most up-to-date, accurate MSDS, please email us at office@rx-sol.com.