

Iodine Crystal

Part No. RXSOL-20-6223-050 — Generated 10 Oct 2026

1. Product and Company Identification

Product Name	Iodine Crystal
Part Number	RXSOL-20-6223-050

Company Details:....

RX MARINE INTERNATIONAL
105, A wing , BSEL , TECH PARK.
VASHI ,NEW BOMBAY 400703 INDIA

Branch : Kandla, Mumbai , Chennai, Vizag, Kolkata, UAE , OMAN , CANADA and KENYA

Phone	+91 22 20871200 - 1400
Fax	+91 22 27612100 :::AOH :0091 9821214367
Email	mail@rxmarine.com
Website	www.rxmraine.com

2. Composition / informationon ingredients

Substances

Formula		I ₂	
Molecular weight		253,81 g/mol	
CAS-No.		7553-56-2	
EC-No.		231-442-4	
Index-No.		053-001-00-3	
Component		Classification	Concentration
1H-Benzotriazole		Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; STOT RE 1; Aquatic Acute 1; H302, H332, H312, H315, H319, H335, H372, H400 M-Factor - Aquatic Acute: 1	= 100 %
CAS-No.	95-14-7		
EC-No	202-394-1		
Index-No.	053-001-00-3		

For the full text of the H-Statements mentioned in this Section, see Section 16.

3. Hazards Identification

Classification of the substance or mixture

Acute toxicity, (Category 4)	H302: Harmful if swallowed.
Acute toxicity, (Category 4)	H332: Harmful if inhaled.
Acute toxicity, (Category 4)	H312: Harmful in contact with skin.
Skin irritation, (Category 2)	H315: Causes skin irritation.

Eye irritation, (Category 2)	H319: Causes serious eye irritation.
Specific target organ toxicity - single exposure, (Category 3), Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, (Category 1), Thyroid	H372: Causes damage to organs through prolonged or repeated exposure if swallowed.
Short-term (acute) aquatic hazard, (Category 1)	H400: Very toxic to aquatic life.
Label elements	
Signal Word	Danger
Hazard Statements	H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed. H400 Very toxic to aquatic life.
Precautionary Statements	P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P314 Get medical advice/ attention if you feel unwell.
Supplemental Hazard Statements	None
Reduced Labeling (= 125 ml)	
Signal Word	Danger
Hazard statement(s)	H372 Causes damage to organs through prolonged or repeated exposure if swallowed.
Precautionary statement(s)	P314 Get medical advice/ attention if you feel unwell.
Supplemental Hazard Statements	None
Other hazards	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

4. First Aid Measures

Description of first aid measures

General advice	Show this material safety data sheet to the doctor in attendance.
If inhaled	After inhalation: fresh air. Call in physician.

In case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.
In case of eye contact	After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.
If swallowed	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.
Most important symptoms and effects, both acute and delayed	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed	No data available

5. Fire-fighting Measures

Extinguishing media

Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
Special hazards arising from the substance or mixture	Hydrogen iodide Not combustible. Ambient fire may liberate hazardous vapours.
Advice for firefighters	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
Environmental precautions	Do not let product enter drains.
Methods and materials for containment and cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
Reference to other sections	For disposal see section 13.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling	Work under hood. Do not inhale substance/mixture.
Hygiene measures	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.
Conditions for safe storage, including any incompatibilities	
Storage conditions	Tightly closed. Dry.
Storage class	Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure controls and personal protection

Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Routes of exposure	Health effect	Value
Worker DNEL, acute	Inhalation	Systemic effects	1 mg/m ³
Worker DNEL, longterm	Inhalation	Systemic effects	0,07 mg/m ³
Worker DNEL, acute	Dermal	Systemic effects	
Worker DNEL, longterm	Dermal	Systemic effects	

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	0,01813 mg/l
Sea water	0,06001 mg/l
Sewage treatment plant	11 mg/l
Fresh water sediment	3,99 mg/kg
Sea sediment	20,22 mg/kg
Soil	5,95 mg/kg

Exposure controls

Personal protective equipment

Eye/face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Chloroprene Minimum layer thickness: 0,65 mm Break through time: 480 min Material tested:KCL 720 Camapren®
Skin protection	This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Latex gloves Minimum layer thickness: 0,6 mm Break through time: 60 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M).
Body Protection	Protective clothing.

Recommended Filter type: Filter A-(P3)

Respiratory protection	The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Control of environmental exposure	Do not let product enter drains.

9. Physical and chemical properties

Physical state	Solid
Colour	Black, violet
Odor	Pungent
Melting point/freezing point	Melting point/range: 113 °C - lit.
Initial boiling point and boiling range	184 °C - lit.
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive limits	No data available
Flash point	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
pH	5,4
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Water solubility	0,3 g/l at 25 °C - slightly soluble
Partition coefficient: n-octanol/water	No data available.
Vapor pressure	No data available
Density	No data available
Relative density	No data available
Relative vapor density	No data available
Particle characteristics	No data available
Explosive properties	No data available
Oxidizing properties	None
Other safety information	No data available

10. Stability and reactivity

Reactivity	Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.
Chemical stability	The product is chemically stable under standard ambient conditions (room temperature)

Possibility of hazardous reactions	Risk of explosion with: Reducing agents Alkali metals Acetylene Ammonia Potassium copper compounds sodium oxyhalogenic compounds Boron halogen oxides azides ammonium compounds antimony in powder form mercury oxide with Methanol and ethanol Risk of ignition or formation of inflammable gases or vapours with: Powdered metals Zinc semimetals halogen-halogen compounds nonmetals nonmetallic oxides alkali salts Iron Fluorine formaldehyde hydrides sodium phosphite phosphorus sulfur Titanium powdered aluminium acetylidene combustible substances powdered magnesium petrol butadiene Diethyl ether with Aluminum Exothermic reaction with: carbides azides turpentine oils and/or turpentine substitutes alkali oxides lithium silicide alkaline earth compounds nitrides Acetaldehyde Lithium fluorides Oxides of phosphorus Chlorine Iron in powder form
	No information available
Conditions to avoid	

Incompatible materials	No data available
Hazardous decomposition products	In the event of fire: see section 5

11. Toxicological information

Information on toxicological effects

Acute toxicity	LD50 Oral - Rat - male and female - 500 mg/kg (OECD Test Guideline 423) LC50 Inhalation - Rat - 4 h - > 1,5 mg/l - dust/mist Remarks: (RTECS) LD50 Dermal - Rabbit - > 2.000 mg/kg Remarks: (External MSDS)
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)
Serious eye damage/eye irritation	Eyes - Rabbit Result: Irritating to eyes. - 24 h (OECD Test Guideline 405)
Respiratory or skin sensitization	Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)
Germ cell mutagenicity	Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
Carcinogenicity	No data available
Reproductive toxicity	No data available
Teratogenicity	No data available
Specific target organ toxicity (single exposure)	No data available
Specific target organ toxicity (repeated exposure)	No data available
Aspiration hazard	No data available
Additional information	
Endocrine disrupting properties	
Product	

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. RTECS: DM1225000
	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
	Systemic effects:
	After absorption:
	Nausea
	Vomiting
	Cyanosis
	Drowsiness
	Dizziness
	Diarrhea
	Shortness of breath
	Other dangerous properties can not be excluded.
	Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information

Toxicity	
Toxicity to fish	Semi-static test LC50 - Danio rerio (zebra fish) - 180 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia galeata (Water flea) - 8,58 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Growth inhibition ErC50 - Selenastrum capricornutum (green algae) -75 mg/l - 72 h (OECD Test Guideline 201)
	IC50 - Desmodesmus subspicatus (green algae) - 231 mg/l - 72 h
	Remarks: (External MSDS)
Toxicity to bacteria	EC50 - activated sludge - 1.060 mg/l (OECD Test Guideline 209)
Persistence and degradability	
Biodegradability	Aerobic - Exposure time 28 d
	Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301D)
Bioaccumulative potential	No data available
Mobility in soil	No data available
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	
Product	
Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other adverse effects	No data available

13. Disposal considerations

14. Transport information

UN number	ADR/RID:3495	IMDG:3495	IATA: 3495
UN proper shipping name	ADR/RID: IODINE IMDG: IODINE IATA: IODINE		
Transport hazard class(es)	ADR/RID: 8 (6.1)	IMDG: 8 (6.1)	IATA:8 (6.1)
Packaging group	ADR/RID: III	IMDG: III	IATA:III
Environmental hazards	ADR/RID: yes	IMDG Marine pollutant: yes	IATA: yes
Special precautions for user	No data available		
Further information	Not classified as dangerous in the meaning of transport regulations.		

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.
Chemical Safety Assessment	For this product a chemical safety assessment was not carried out

16. Other information

Other Information	The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rx Marine International has been advised of the possibility of such damages. DISCLAIMER OF LIABILITY :The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.
-------------------	--